

# Vigor167 35b Modem



## QUICK START GUIDE

# Vigor167 35b Modem Quick Start Guide

Version: 1.1 Firmware Version: V5.1

(For future update, please visit DrayTek web site) Date: May 4, 2022

#### Intellectual Property Rights (IPR) Information

Copyrights	© All rights reserved. This publication contains information that is protected by copyright. No part may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language without written permission from the copyright holders.	
Trademarks	<ul> <li>The following trademarks are used in this document:</li> <li>Microsoft is a registered trademark of Microsoft Corp.</li> <li>Windows 8, 10 and Explorer are trademarks of Microsoft Corp.</li> <li>Apple and Mac OS are registered trademarks of Apple Inc.</li> <li>Other products may be trademarks or registered trademarks of their respective manufacturers.</li> </ul>	

## Safety Instructions and Approval

Safety Instructions	<ul> <li>Read the installation guide thoroughly before you set up the modem.</li> <li>The modem is a complicated electronic unit that may be repaired only by authorized and qualified personnel. Do not try to open or repair the modem yourself.</li> <li>Do not place the modem in a damp or humid place, e.g. a bathroom.</li> <li>Do not stack the modems.</li> <li>The modem should be used in a sheltered area, within a temperature range of 0 to +45 Celsius.</li> <li>Do not expose the modem to direct sunlight or other heat sources. The housing and electronic components may be damaged by direct sunlight or heat sources.</li> <li>Do not deploy the cable for LAN connection outdoor to prevent electronic shock hazards.</li> <li>Keep the package out of reach of children.</li> <li>When you want to dispose of the modem, please follow local regulations on conservation of the environment.</li> </ul>
Warranty	We warrant to the original end user (purchaser) that the modem will be free from any defects in workmanship or materials for a period of two (2) years from the date of purchase from the dealer. Please keep your purchase receipt in a safe place as it serves as proof of date of purchase. During the warranty period, and upon proof of purchase, should the product have indications of failure due to faulty workmanship and/or materials, we will, at our discretion, repair or replace the defective products or components, without charge for either parts or labor, to whatever extent we deem necessary tore-store the product to proper operating condition. Any replacement will consist of a new or re-manufactured functionally equivalent product of equal value and will be offered solely at our discretion. This warranty will not apply if the product is modified, misused, tampered with, damaged by an act of God, or subjected to abnormal working conditions. The warranty does not cover the bundled or licensed software of other vendors. Defects thatdo not significantly affect the usability of the product will not be covered by the warranty. We reserve the right to revise the manual and online documentation and to make changes from time to time in the contents hereof without obligation to notify any person of such revision or changes.

Model: Vigor167
Power Consumption : 4.4W (Max.)
Power Input:: 12V === 0.4A
Manufacturer: DrayTek Corporation
Address: No. 26, Fushing Rd, Hukou, Hsinchu Industrial Park, Hsinchu 303, Taiwan

**Dray** Tek

# ((

#### EU Declaration of Conformity

We DrayTek Corp., office at No.26, Fu Shing Road, HuKou County, Hsin-Chu Industry Park, Hsinchu 300, Taiwan, R.O.C., declare under our sole responsibility that the product

- Product name: <u>35b Modem</u>
- Model number: Vigor167
- Manufacturer: DrayTek Corp.
- Address:

Importer:

<u>No.26, Fushing Rd., Hukou, Hsinchu Industrial Park, Hsinchu 303, Taiwan</u> SEG, 11 Capital Business Park, Borehamwood, Herts, WD6 1GW

is in conformity with the relevant Union harmonisation legislation:

EMC Directive 2014/30/EU , Low Voltage Directive 2014/35/EU , ErP 2009/125/EC and RoHS

2011/65/EU with reference to the following standards

Standard	Version / Issue date		
EN 55032	2012+AC:2016 class B		
EN 61000-3-2	2014 Class A		
EN 61000-3-3	2013		
EN 55024	2010+A1:2015		
EN 62368	2014+A11:2017		
EC No. 1275/2008	2008		

#### Hsinchu

(place)

.

#### 30th December, 2020

(date)



Calvin Ma / President . (Legal Signature)





Declaration of Conformity

We DrayTek Corp., office at No.26, Fushing Rd., Hukou, Hsinchu Industrial Park, Hsinchu 303, Taiwan, declare under our sole responsibility that the product

- Product name: <u>35b Modem</u>
- Model number: <u>Vigor167</u>
- Manufacturer: <u>DrayTe</u>
- Address: No.26
- Importer:

<u>DrayTek Corp.</u> No.26, Fushing Rd., Hukou, Hsinchu Industrial Park, Hsinchu 303, Taiwan SEG, 11 Capital Business Park, Borehamwood, Herts, WD6 1GW

is in conformity with the relevant UK Statutory Instruments: The Electromagnetic Compatibility Regulations 2016 (SI 2016 No.1091), The Electrical Equipment (Safety) Regulations 2016 (SI 2016 No.1101), The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019 (SI 2019 No.539) and The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (SI 2012 No. 3032) with reference to the following standards:

Standard	Version / Issue date			
EN 55032	2012+AC:2016 class B			
EN 61000-3-2	2014 Class A			
EN 61000-3-3	2013			
EN 55024	2010+A1:2015			
EN 62368	2014+A11:2017			
EC No. 1275/2008	2008			

Calin Ma

<u>Hsinchu</u>

#### 30th December, 2020

(date)

Calvin Ma / President

(Legal Signature)

# FC

#### **Regulatory Information**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device may accept any interference received, including interference that may cause undesired operation.

	Company name	ABP International Inc.					
USA Local Representative	Address	13988 Diplomat Drive Suite 180 Dallas TX 75234					
Representative	ZIP Code	75234	E-mail	rmesser@abptech.com			
	Contact Person	Mr. Robert Messer	Tel.	19728311600			

For more updates, please visit www.draytek.com.

\*The external power supply used for each product will be model dependent.

		1	2	3	4	5	6	7	8	9
А	Manufacturer	CWT	CWT	CWT	CWT	CWT	APD	APD	APD	APD
В	Address	No. 222, Sec. 2, Nankan Rd., Lujhu Township, Taoyuan County 338, Taiwan	No.5, Lane 83, Lung-Sou St., Taoyuan City 330, Taiwan	Lung-Sou St.,	No.5, Lane 83, Lung-Sou St., Taoyuan City 330, Taiwan	No.5, Lane 83, Lung-Sou St., Taoyuan City 330, Taiwan				
С	Model identifier	2ABB012F UK 2ABB012F EU	2ABB018F UK 2ABB018F EU	2ABL024F UK 2ABL024F EU	2ABL030F UK 2ABL030F EU	2ABN036F UK 2ABN036F EU	WA-12M12FG WA-12M12FK	WB-18D12FG WB-18D12FK	WA-24Q12FG WA-24Q12FK	WA-36A12FG WA-36A12FK
D	Input voltage	100~240V	100~240V	100~240V	100~240V	100~240V	100~240V	100~240V	100~240V	100~240V
E	Input AC frequency	50/60Hz	50/60Hz	50/60Hz	50/60Hz	50/60Hz	50/60Hz	50/60Hz	50/60Hz	50/60Hz
	Output voltage DC	12.0V	12.0V	12.0V	12.0V	12.0V	12.0V	12.0V	12.0V	12.0V
F	Output current	1.0A	1.5A	2.0A	2.5A	3.0A	1.0A	1.5A	2.0A	3.0A
G	Output power	12.0W	18.0W	24.0W	30.0W	36.0W	12.0W	18.0W	24.0W	36.0W
н	Average active efficiency	84.9%	86.2%	87.6%	87.8%	89.8%	83.7%	85.4%	88.6%	88.2%
I	Efficiency at low load 10%	73.6%	78.0%	81.3%	83.3%	83.7%	74.5%	80.5%	86.4%	85.4%
J	No-load power consumption	0.07W	0.07W	0.07W	0.07W	0.07W	0.07W	0.10W	0.07W	0.10W

External power supply (Power Adapter) information. For more updates, please visit www.draytek.com.




#### Table of Contents

1. Package Content	1
2. Panel Explanation	2
3. Hardware Installation	3
3.1 Network Connection	3
3.2 Wall-Mounted Installation	4
4. Software Configuration	5
5. Customer Service	9

## 1. Package Content

Take a look at the package content. If there is anything missed or damaged, please contact DrayTek or dealer immediately.




USA/Taiwan-type Power Adapter

AU/NZ-type Power Adapter

## 2. Panel Explanation

Dray Tek Vigor 160 Series
ACT P1 P2 DSL

LED	Status	Explanation
ACT	Off	The system is not ready or is failed.
	Blinking	The system is ready and can work normally.
P1/P2	On	A normal connection is through its corresponding port.
	Off	LAN is disconnected.
	Blinking	Data is transmitting (sending/receiving).
DSL	On	xDSL connection synchronized.
	Blinking	xDSL connection is synchronizing.



Interface	Description
PWR	Connecter for a power adapter.
ON/OFF	ON/OFF: Power switch.
Factory Reset	Restore the default settings. Usage: Turn on the modem. Press the button and keep for more than 10 seconds. Then the modem will restart with the factory default configuration.
P2-P1	Connecter for local networked devices.
DSL	Connecter for accessing the Internet through xDSL.



Note

Remove the protective film from the router before use to ensure ventilation.


## 3. Hardware Installation

This section will guide you to install the modem through hardware connection and configure the modem's settings through web browser.

Before starting to configure the modem, you have to connect your devices correctly.


#### **3.1 Network Connection**

1. Connect the DSL interface to the MODEM port of external splitter with a DSL line cable.



(splitter)

- 2. Connect the LAN port to your computer with a RJ-45 cable.
- 3. Connect one end of the power adapter to the Power port of this device. Connect the other end to the wall outlet of electricity.
- 4. Power on the modem.
- 5. Check the POWER, ACT, LAN, DSL and INTERNET LEDs to assure network connections.





(For detailed information on LED status, please refer to section 2.)

#### 3.2 Wall-Mounted Installation

Vigor167 has keyhole type mounting slots on the underside.

- 1. Drill the holes on the wall according to the recommended instruction.
- 2. Fit screws into the wall using the appropriate type of wall plug.





3. When you finished the above procedure, the modem has been mounted on the wall firmly.

## 4. Software Configuration

To access the Internet, please finish the basic configuration after completing the hardware installation.


Make sure your PC connects to this device correctly.



Note

Please set up the IP address of the computer to be the same subnet as the default IP address of Vigor device 192.168.1.1.

Open a web browser on your PC and type http://192.168.1.1. A pop-up window will open to ask for a username and password. Please type "admin/admin" as the Username/Password and click Login.



Now, the Main Screen will pop up.

DrayTek v	gor167					System Time : 2021-01-01	DrayTek a admin V
	Dashboard						CRefresh
Configuration Mode     Configuration      Monitoring      System Maintenance		PWF C •	P2 P1			SYSTEM Device Hame LAN MAC : System Uptime Permwane : Build Date/Time Web Verson Core Version	DrayTek 14:48:BC-4CT7E:D0 0d 0h 6m 28s 5:1 Men Mar 7 12:91:57 CST 2022 3:3:0 DrayOS5_r259
	LAN USAGE					ACS Server	
	Name	TX Packets	RX Packets	TX Bytes	RX Bytes	DSL INFORMATION	
	[LAN] LAN1	5792	2334	7489222	277285	Status Mode Profile	idie DSL

1. Open Operation Mode to open the following page. Select Modem Mode and click Next.

seirchQ	Operation Mode				
	Operation Mode				CRefresh
🐼 Dashboard	170-07				
	O Modern Mode O		·	•	
출 Configuration	>	Vigar167	Router	Device	
🔂 Monitoring	> Router Mode O		-		
🖏 System Maintenance	>	Vigor167	Device		
	Cancel				

2. In this page, configure the system time settings. Then click Next.

					CRefre
Dashboard		(2)	3	4	
	System Time	Internet Connection	LAN	Apply & Reboot	
Configuration	>				
Monitoring ;	Operation Mode Changing fr	om Router to Modem			
	Set Time	Automatically with Time Serve	Manually		
System Maintenance	Time Zone	(UTC) Greenwi 😒			
	Date	2021-01-01	8		
	Time	00 ~ : 00	~		
	Synchronize with Browser	Sync now			

3. For the Internet connection, configure the settings based on the information from your ISP. Then click Next to get the next page.

Search_	٩	Operation Mode				
Dashboard     Destron Mode		System Time	Internet Connection	LAN	d. Apply & Reboat	C Refresh
<ul> <li>Configuration</li> <li>Monitoring</li> <li>System Maintenance</li> </ul>	> > >	Operation Mode Changing General	from Router to Modem			~
		Physical Interface DSL Mode ADSL Setting	DSL Auto			~
		Annex VPI (0-255) VCI (32-65535) Customer VLAN VDSL2 Setting	Auto ~ 0 32			~
		Customer VLAN Service VLAN Back Cancel Ne	xt			

4. From the following page, change LAN settings if required. Then click Next.

-Servith	۹	Operation Mode				
C Authorit		0	0	-0	(A)	C Refresh
<ul><li>Dashboard</li></ul>		System Time	Internet Connection	LAN	Apply & Reboot	
	>					
G Monitoring	>	Operation Mode Changing f	rom Router to Modem			
🔩 System Maintenance	>	Network Configuration				
		IP Address	192.168.1.150			
		Subnet Mask	255.255.255.0/			
		DHCP Server Configuration				
		DHCP Server	off			
		Laute Linearest				
		Back Cancel Next				

5. Now, click Apply & Reboot to activate the settings.

seven_ Q	Operation Mode				
<ul> <li>Dashboard</li> <li>Operation Mode</li> </ul>	9 System Time	Internet Connection	LAN	Apply & Reboot	CRefresh
출 Configuration >		Congratulations			
Monitoring >		Congretatebons			
System Maintenance >	Please re Back Cancel Apply & R	iboot router to apply new operation	on mode settings.		

### **5. Customer Service**

If the modem still cannot work correctly after trying many efforts, please contact your dealer for further help right away. For any questions, please feel free to send an e-mail to support@draytek.com.

#### Be a Registered Owner

Web registration is preferred. You can register your Vigor modem via https://myvigor.draytek.com.

#### Firmware & Tools Updates

Due to the continuous evolution of DrayTek technology, all devices will be regularly upgraded. Please consult the DrayTek website for more information on the newest firmware, tools, and documents.

https://www.draytek.com